MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/2012

Judge: Tamra Domico

Standard Standard

NAS	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	1	1	1	100.00
20 Inch	1	1	0	0.00
	2	2	1	50.00
NBS	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	2	2	1	50.00
12 Inch	2	0	0	0.00
16 Inch	3	1	0	0.00
20 Inch	7	7	2	28.57
24 Inch	1	1	1	100.00
	15	11	4	36.36
os	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	0	0.00
16 Inch	2	0	0	0.00
20 Inch	4	2	1	50.00
24 Inch	3	3	0	0.00
	10	6	1	16.67
	10	U	•	10.07
EAS	Entered	Showed	Qualified	% Qualified that Showed
EAS 8 Inch				
	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	Entered 3	Showed	Qualified 0	% Qualified that Showed 0.00
8 Inch 12 Inch	Entered 3 2	Showed 3 2	Qualified 0 0	% Qualified that Showed 0.00 0.00
8 Inch 12 Inch 16 Inch	Entered 3 2 7	Showed 3 2 6	Qualified 0 0 1	% Qualified that Showed 0.00 0.00 16.67
8 Inch 12 Inch 16 Inch 20 Inch	Entered 3 2 7 6	Showed 3 2 6 5	Qualified 0 0 1	% Qualified that Showed 0.00 0.00 16.67 0.00
8 Inch 12 Inch 16 Inch 20 Inch	Entered 3 2 7 6 5	Showed	Qualified 0 0 1 0 0	% Qualified that Showed 0.00 0.00 16.67 0.00 0.00
8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	Entered 3 2 7 6 5	Showed 3 2 6 5 4 20	Qualified 0 0 1 0 0 1	% Qualified that Showed 0.00 0.00 16.67 0.00 0.00 5.00
8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	Entered 3 2 7 6 5 23 Entered	Showed 3 2 6 5 4 20 Showed	Qualified 0 0 1 0 1 Qualified	% Qualified that Showed 0.00 0.00 16.67 0.00 0.00 5.00 % Qualified that Showed
8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	Entered 3 2 7 6 5 23 Entered 7	Showed 3 2 6 5 4 20 Showed 6	Qualified 0 0 1 0 1 Qualified 3	% Qualified that Showed 0.00 0.00 16.67 0.00 0.00 5.00 % Qualified that Showed 50.00
8 Inch 12 Inch 16 Inch 20 Inch 24 Inch EBS 8 Inch 12 Inch	Entered 3 2 7 6 5 23 Entered 7 12	Showed 3 2 6 5 4 20 Showed 6 12	Qualified 0 0 1 0 1 Qualified 3 2	% Qualified that Showed 0.00 0.00 16.67 0.00 0.00 5.00 % Qualified that Showed 50.00 16.67
8 Inch 12 Inch 16 Inch 20 Inch 24 Inch EBS 8 Inch 12 Inch 16 Inch	Entered 3 2 7 6 5 23 Entered 7 12 18	Showed 3 2 6 5 4 20 Showed 6 12 18	Qualified 0 0 1 0 1 Qualified 3 2 6	% Qualified that Showed 0.00 0.00 16.67 0.00 0.00 5.00 % Qualified that Showed 50.00 16.67 33.33
8 Inch 12 Inch 16 Inch 20 Inch 24 Inch EBS 8 Inch 12 Inch 16 Inch 20 Inch	Entered 3 2 7 6 5 23 Entered 7 12 18 24	Showed 3 2 6 5 4 20 Showed 6 12 18 24	Qualified 0 0 1 0 1 Qualified 3 2 6 4	% Qualified that Showed 0.00 0.00 16.67 0.00 0.00 5.00 % Qualified that Showed 50.00 16.67 33.33 16.67

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/201:

Judge: Tamra Domico

Total Standard 132 120 27 22.50

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/201:

Judge: Tamra Domico

Standard

Standard Preferred

NSp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	3	1	1	100.00
16 Inch	4	2	1	50.00
20 Inch	5	5	1	20.00
	12	8	3	37.50
OSp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	0	0.00
12 Inch	2	1	1	100.00
16 Inch	1	0	0	0.00
20 Inch	3	3	1	33.33
	7	5	2	40.00
EASp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	0	0.00
8 Inch	1	1	0	0.00
16 Inch	1	1	0	0.00
20 Inch	1	1	0	0.00
	4	4	0	0.00
EBSp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	0	0.00
8 Inch	1	0	0	0.00
12 Inch	1	1	0	0.00
16 Inch	3	3	0	0.00
20 Inch	2	2	1	50.00
	8	7	1	14.29
Total Standard Preferred	31	24	6	25.00
Total Standard	163	144	33	22.92

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/201:

Judge: Tamra Domico

FAST

FAST

NAF		Entered	Showed	Qualified	% Qualified that Showed
20 Inch		1	1	0	0.00
		1	1	0	0.00
NBF		Entered	Showed	Qualified	% Qualified that Showed
8 Inch		1	1	1	100.00
12 Inch		1	0	0	0.00
16 Inch		1	1	0	0.00
20 Inch		1	1	1	100.00
24 Inch		1	1	0	0.00
		5	4	2	50.00
OF		Entered	Showed	Qualified	% Qualified that Showed
16 Inch		4	3	1	33.33
20 Inch		5	3	0	0.00
		9	6	1	16.67
	Total FAST	15	11	3	27.27

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/201:

Judge: Tamra Domico

FAST

FAST Preferred

NFp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	0	0.00
12 Inch	1	1	0	0.00
16 Inch	2	1	1	100.00
20 Inch	3	3	1	33.33
	7	6	2	33.33
OFp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	0	0.00
20 Inch	1	1	1	100.00
	2	2	1	50.00
Total FAST Preferred	9	8	3	37.50
Total FAST Judge Totals	24 187	19 163	6 39	31.58

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/201:

Judge: Debby Wheeler

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/2012

Judge: Debby Wheeler

JWM JWM

NAJ		Entered	Showed	Qualified	% Qualified that Showed
8 Inch		1	1	0	0.00
12 Inch		1	1	1	100.00
20 Inch		2	2	0	0.00
		4	4	1	25.00
NBJ		Entered	Showed	Qualified	% Qualified that Showed
16 Inch		4	3	0	0.00
20 Inch		6	6	2	33.33
24 Inch		2	2	1	50.00
		12	11	3	27.27
OJ		Entered	Showed	Qualified	% Qualified that Showed
8 Inch		2	2	2	100.00
12 Inch		3	1	0	0.00
16 Inch		3	1	0	0.00
20 Inch		4	2	2	100.00
24 Inch		3	3	0	0.00
		15	9	4	44.44
EAJ		Entered	Showed	Qualified	% Qualified that Showed
8 Inch		3	3	0	0.00
16 Inch		5	4	0	0.00
16 Inch 20 Inch		5 3	4 3	0 0	0.00 0.00
20 Inch		3	3	0	0.00
20 Inch		3 7	3 6	0	0.00 16.67
20 Inch 24 Inch		3 7 18	3 6 16	0 1 1	0.00 16.67 6.25
20 Inch 24 Inch		3 7 18 Entered	3 6 16 Showed	0 1 1 Qualified	0.00 16.67 6.25 % Qualified that Showed
20 Inch 24 Inch EBJ 8 Inch		3 7 18 Entered 8	3 6 16 Showed 5	0 1 1 Qualified 3	0.00 16.67 6.25 % Qualified that Showed 60.00
20 Inch 24 Inch EBJ 8 Inch 12 Inch		3 7 18 Entered 8 13	3 6 16 Showed 5 13	0 1 1 Qualified 3 4	0.00 16.67 6.25 % Qualified that Showed 60.00 30.77
20 Inch 24 Inch EBJ 8 Inch 12 Inch 16 Inch		3 7 18 Entered 8 13 20	3 6 16 Showed 5 13	0 1 1 Qualified 3 4	0.00 16.67 6.25 % Qualified that Showed 60.00 30.77 57.89
20 Inch 24 Inch EBJ 8 Inch 12 Inch 16 Inch 20 Inch		3 7 18 Entered 8 13 20 27	3 6 16 Showed 5 13 19 27	0 1 1 Qualified 3 4 11	0.00 16.67 6.25 % Qualified that Showed 60.00 30.77 57.89 48.15
20 Inch 24 Inch EBJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch		3 7 18 Entered 8 13 20 27 14	3 6 16 Showed 5 13 19 27 14	0 1 1 Qualified 3 4 11 13	0.00 16.67 6.25 % Qualified that Showed 60.00 30.77 57.89 48.15 21.43
20 Inch 24 Inch EBJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	Total JWW	3 7 18 Entered 8 13 20 27 14 4	3 6 16 Showed 5 13 19 27 14 4	0 1 1 Qualified 3 4 11 13 3	0.00 16.67 6.25 % Qualified that Showed 60.00 30.77 57.89 48.15 21.43 50.00

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/201:

Judge: Debby Wheeler

JWW

JWW Preferred

NJp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	4	3	1	33.33
12 Inch	2	1	0	0.00
16 Inch	4	2	1	50.00
20 Inch	6	4	2	50.00
	16	10	4	40.00
OJp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	1	100.00
12 Inch	2	2	1	50.00
16 Inch	2	1	1	100.00
20 Inch	4	4	2	50.00
	9	8	5	62.50
EAJp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	0	0.00
8 Inch	1	1	0	0.00
20 Inch	1	1	1	100.00
	3	3	1	33.33
EBJp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	1	100.00
8 Inch	1	0	0	0.00
12 Inch	1	1	1	100.00
16 Inch	3	3	2	66.67
20 Inch	1	1	0	0.00
	7	6	4	66.67
Total JWW Preferred	35	27	14	51.85
Total JWW	170	149	59	39.60

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/2012

Judge: Debby Wheeler

FAST

FAST

EAF		Entered	Showed	Qualified	% Qualified that Showed
8 Inch		1	1	0	0.00
12 Inch		1	1	0	0.00
16 Inch		1	1	0	0.00
20 Inch		4	4	0	0.00
24 Inch		2	2	0	0.00
		9	9	0	0.00
EBF		Entered	Showed	Qualified	% Qualified that Showed
8 Inch		5	4	4	100.00
12 Inch		4	4	2	50.00
16 Inch		4	4	3	75.00
20 Inch		9	9	2	22.22
26 Inch		2	2	0	0.00
		24	23	11	47.83
	Total FAST	33	32	11	34.38

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/17/201:

Judge: Debby Wheeler

FAST

FAST Preferred

EAFp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	0	0.00
20 Inch	1	1	0	0.00
	2	2	0	0.00
EBFp	Entered	Showed	Qualified	% Qualified that Showed
16 Inch	1	1	0	0.00
	1	1	0	0.00
T / 1540TD /				
Total FAST Preferred	3	3	0	0.00
Total FAST	36	35	11	31.43
Judge Totals	206	184	70	

MBDTC Agility Trial - Sunday Skypark Soccer Fields 1 & 2 6/17/201:

Event Totals

393

347

109

31.41