MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Dale Mahoney

JWM JWM

NAJ	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	1	1	1	100.00
16 Inch	2	2	0	0.00
20 Inch	2	2	1	50.00
	5	5	2	40.00
NBJ	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	1	100.00
16 Inch	1	0	0	0.00
20 Inch	10	8	5	62.50
	12	9	6	66.67
OJ	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	4	4	4	100.00
12 Inch	3	3	1	33.33
16 Inch	3	2	0	0.00
20 Inch	8	8	3	37.50
24 Inch	3	3	2	66.67
2 1 111011				
	21	20	10	50.00
EJ				
	21	20	10	50.00
EJ	21 Entered	20 Showed	10 Qualified	50.00 % Qualified that Showed
EJ 8 Inch	21 Entered 1	20 Showed 1	10 Qualified 1	50.00 % Qualified that Showed 100.00
EJ 8 Inch 12 Inch	21 Entered 1 2	20 Showed 1 2	10 Qualified 1 0	50.00 % Qualified that Showed 100.00 0.00
EJ 8 Inch 12 Inch 16 Inch	21 Entered 1 2 3	20 Showed 1 2 3	10 Qualified 1 0	50.00 % Qualified that Showed 100.00 0.00 0.00
EJ 8 Inch 12 Inch 16 Inch 20 Inch	21 Entered 1 2 3 2	20 Showed 1 2 3 2	10 Qualified 1 0 0 1	50.00 % Qualified that Showed 100.00 0.00 0.00 50.00
EJ 8 Inch 12 Inch 16 Inch 20 Inch	21 Entered 1 2 3 2 3	20 Showed 1 2 3 2 3	10 Qualified 1 0 0 1 0	50.00 % Qualified that Showed 100.00 0.00 0.00 50.00 0.00
EJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	21 Entered 1 2 3 2 3 11	20 Showed 1 2 3 2 3	10 Qualified 1 0 0 1 0 2	50.00 % Qualified that Showed 100.00 0.00 50.00 0.00 18.18
EJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	21 Entered 1 2 3 2 3 11 Entered	20 Showed 1 2 3 2 3 11 Showed	10 Qualified 1 0 0 1 0 2 Qualified	50.00 % Qualified that Showed 100.00 0.00 50.00 0.00 18.18 % Qualified that Showed
EJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	21 Entered 1 2 3 2 3 11 Entered 8	20 Showed 1 2 3 2 3 11 Showed 6	10 Qualified 1 0 0 1 0 2 Qualified 2	50.00 % Qualified that Showed 100.00 0.00 0.00 50.00 0.00 18.18 % Qualified that Showed 33.33
EJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch MJ 8 Inch 12 Inch	21 Entered 1 2 3 2 3 11 Entered 8 12	20 Showed 1 2 3 2 3 11 Showed 6 8	10 Qualified 1 0 0 1 0 2 Qualified 2 6	50.00 % Qualified that Showed 100.00 0.00 50.00 0.00 18.18 % Qualified that Showed 33.33 75.00
EJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch MJ 8 Inch 12 Inch 16 Inch	21 Entered 1 2 3 2 3 11 Entered 8 12 15	20 Showed 1 2 3 2 3 11 Showed 6 8 14	10 Qualified 1 0 0 1 0 2 Qualified 2 6 9	50.00 % Qualified that Showed 100.00 0.00 50.00 0.00 18.18 % Qualified that Showed 33.33 75.00 64.29
EJ 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch MJ 8 Inch 12 Inch 16 Inch 20 Inch	21 Entered 1 2 3 2 3 11 Entered 8 12 15 41	20 Showed 1 2 3 2 3 11 Showed 6 8 14 39	10 Qualified 1 0 0 1 0 2 Qualified 2 6 9 22	50.00 % Qualified that Showed 100.00 0.00 0.00 50.00 0.00 18.18 % Qualified that Showed 33.33 75.00 64.29 56.41

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Dale Mahoney

Total JWW 136 123 64 52.03

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Dale Mahoney

JWW

JWW Preferred

NJp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	2	1	1	100.00
16 Inch	3	3	1	33.33
20 Inch	1	0	0	0.00
	6	4	2	50.00
OJp	Entered	Showed	Qualified	% Qualified that Showed
16 Inch	1	1	0	0.00
20 Inch	4	3	1	33.33
	5	4	1	25.00
EJp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	0	0.00
12 Inch	1	1	0	0.00
16 Inch	1	1	1	100.00
20 Inch	3	2	0	0.00
	6	5	1	20.00
МЈр	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	2	2	2	100.00
8 Inch	6	6	4	66.67
12 Inch	7	5	1	20.00
16 Inch	8	7	6	85.71
20 Inch	4	4	3	75.00
	27	24	16	66.67
Total JWW Preferred	44	37	20	54.05
Total JWW	180	160	84	52.50

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Dale Mahoney

FAST

FAST

EF		Entered	Showed	Qualified	% Qualified that Showed
12 Inch		4	3	0	0.00
16 Inch		1	1	0	0.00
20 Inch		6	6	2	33.33
24 Inch		2	2	1	50.00
		13	12	3	25.00
MF		Entered	Showed	Qualified	% Qualified that Showed
8 Inch		3	2	1	50.00
12 Inch		2	2	1	50.00
16 Inch		8	6	0	0.00
20 Inch		19	18	13	72.22
24 Inch		2	2	0	0.00
26 Inch		1	0	0	0.00
		35	30	15	50.00
	Total FAST	48	42	18	42.86

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Dale Mahoney

FAST

FAST Preferred

EFp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	0	0.00
12 Inch	1	1	1	100.00
20 Inch	3	3	0	0.00
	5	5	1	20.00
MFp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	1	100.00
16 Inch	1	1	1	100.00
	2	2	2	100.00
Total FAST Preferred	7	7	3	42.86
Total FAST Judge Totals	55 235	209	21 105	42.86

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Jan Skurzynski

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Jan Skurzynski

Standard Standard

NAS	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	1	0	0	0.00
16 Inch	2	2	0	0.00
20 Inch	2	2	1	50.00
20 111011	5	4	1	25.00
NBS	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	0	0.00
12 Inch	2	2	1	50.00
16 Inch	1	0	0	0.00
20 Inch	7	5	1	20.00
24 Inch	1	1	1	100.00
24 11011	12	9	3	33.33
os	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	2	2	1	50.00
12 Inch	1	1	0	0.00
16 Inch	2	2	1	50.00
20 Inch	9	9	2	22.22
20 Inch	9 14	9 14	2 4	22.22 28.57
20 Inch				
	14	14	4	28.57
ES	14 Entered	14 Showed	4 Qualified	28.57 % Qualified that Showed
ES 8 Inch	14 Entered 2	14 Showed	4 Qualified	28.57 % Qualified that Showed 50.00
ES 8 Inch 12 Inch	14 Entered 2 2	14 Showed 2 2	4 Qualified 1 0	28.57 % Qualified that Showed 50.00 0.00
ES 8 Inch 12 Inch 16 Inch	14 Entered 2 2 2	14 Showed 2 2 2	4 Qualified 1 0	28.57 % Qualified that Showed 50.00 0.00 0.00
ES 8 Inch 12 Inch 16 Inch 20 Inch	14 Entered 2 2 2 2 9	14 Showed 2 2 2 2	4 Qualified 1 0 0 2	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22
ES 8 Inch 12 Inch 16 Inch 20 Inch	14 Entered 2 2 2 2 9 5	14 Showed 2 2 2 9 5	4 Qualified 1 0 0 2	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22 0.00
ES 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	14 Entered 2 2 2 9 5	14 Showed 2 2 2 9 5	4 Qualified 1 0 0 2 0	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22 0.00 15.00
ES 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	14 Entered 2 2 2 9 5 20 Entered	14 Showed 2 2 2 9 5 20 Showed	4 Qualified 1 0 0 2 0 3 Qualified	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22 0.00 15.00 % Qualified that Showed
ES 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch	14 Entered 2 2 2 9 5 20 Entered 8	14 Showed 2 2 2 9 5 20 Showed 6	4 Qualified 1 0 0 2 0 3 Qualified 4	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22 0.00 15.00 % Qualified that Showed 66.67
ES 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch MS 8 Inch 12 Inch	14 Entered 2 2 2 9 5 20 Entered 8 12	14 Showed 2 2 2 9 5 20 Showed 6 8	4 Qualified 1 0 0 2 0 3 Qualified 4 5	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22 0.00 15.00 % Qualified that Showed 66.67 62.50
ES 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch MS 8 Inch 12 Inch 16 Inch	14 Entered 2 2 2 9 5 20 Entered 8 12 14	14 Showed 2 2 2 9 5 20 Showed 6 8 13	4 Qualified 1 0 0 2 0 3 Qualified 4 5 7	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22 0.00 15.00 % Qualified that Showed 66.67 62.50 53.85
ES 8 Inch 12 Inch 16 Inch 20 Inch 24 Inch MS 8 Inch 12 Inch 16 Inch 20 Inch	14 Entered 2 2 2 9 5 20 Entered 8 12 14 35	14 Showed 2 2 2 9 5 20 Showed 6 8 13 33	4 Qualified 1 0 0 2 0 3 Qualified 4 5 7 16	28.57 % Qualified that Showed 50.00 0.00 0.00 22.22 0.00 15.00 % Qualified that Showed 66.67 62.50 53.85 48.48

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Jan Skurzynski

Total Standard 131 118 48 40.68

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Jan Skurzynski

Standard

Standard Preferred

NSp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	2	1	1	100.00
16 Inch	2	2	0	0.00
20 Inch	2	0	0	0.00
	6	3	1	33.33
OSp	Entered	Showed	Qualified	% Qualified that Showed
16 Inch	2	2	1	50.00
20 Inch	2	2	0	0.00
	4	4	1	25.00
ESp	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	1	100.00
12 Inch	1	1	0	0.00
16 Inch	1	1	0	0.00
20 Inch	2	1	1	100.00
	5	4	2	50.00
MSp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	3	3	3	100.00
8 Inch	6	6	4	66.67
12 Inch	6	5	1	20.00
16 Inch	8	7	3	42.86
20 Inch	4	4	0	0.00
	27	25	11	44.00
Total Standard Preferred	42	36	15	41.67
Total Standard	173	154	63	40.91

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Jan Skurzynski

FAST FAST

NAF	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	1	1	1	100.00
			-	
20 Inch	1	1	1	100.00
	2	2	2	100.00
NBF	Entered	Showed	Qualified	% Qualified that Showed
16 Inch	2	1	0	0.00
20 Inch	4	4	1	25.00
24 Inch	1	1	1	100.00
	7	6	2	33.33
OF	7 Entered	6 Showed	2 Qualified	
				33.33
OF	Entered	Showed	Qualified	33.33 % Qualified that Showed
OF 16 Inch	Entered 2	Showed 1	Qualified 1	33.33 % Qualified that Showed 100.00
OF 16 Inch 20 Inch	Entered 2 2	Showed 1 2	Qualified 1 2	33.33 % Qualified that Showed 100.00 100.00
OF 16 Inch 20 Inch	Entered 2 2 2	Showed 1 2	Qualified 1 2 1	33.33 % Qualified that Showed 100.00 100.00 100.00

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/15/2014

Judge: Jan Skurzynski

FAST

FAST Preferred

8 Inch 1 1 1 100.00 16 Inch 2 2 0 0.00	
16 Inch 2 2 0 0.00	
20 Inch 2 1 0 0.00	
5 4 1 25.00	
OFp Entered Showed Qualified % Qualified that S	Showed
16 Inch 3 3 1 33.33	
20 Inch 1 1 0 0.00	
4 4 1 25.00	
Total FAST Preferred 9 8 2 25.00	
Total FAST 23 20 10 50.00 Judge Totals 196 174 73	

MBDTC Agility Trial - Sunday Skypark Soccer Fields 1 & 2 6/15/201

Event Totals

431

383

178

46.48