MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Wendy Pennington

# JWM JWM

NAJ	Entered	Showed	Qualified	% Qualified that Showed
8 Inch	1	1	0	0.00
12 Inch	1	1	0	0.00
16 Inch	1	1	1	100.00
20 Inch	3	2	1	50.00
	6	5	2	40.00
NBJ	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	1	1	1	100.00
16 Inch	2	2	1	50.00
20 Inch	3	3	1	33.33
	6	6	3	50.00
OJ	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	3	3	0	0.00
16 Inch	1	1	0	0.00
20 Inch	2	2	0	0.00
24 Inch	1	1	0	0.00
	7	7	0	0.00
EJ	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	3	2	0	0.00
16 Inch	2	2	0	0.00
20 Inch	1	1	0	0.00
24 Inch	1	1	0	0.00
	7	6	0	0.00
MJ	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	15	13	7	53.85
16 Inch	11	11	4	36.36
20 Inch	26	22	10	45.45
24 Inch	10	7	2	28.57
	62	53	23	43.40
PJ	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	4	2	0	0.00
16 Inch	3	3	1	33.33

#### Monterey Bay Dog Training Club, Inc. MBDTC Agility Trial - Sunday Skypark Soccer Fields 1 & 2 6/19/2010 Judge: Wendy Pennington 20 Inch 8 4 1 25.00 24 Inch 1 0 0 0.00 2 16 9 22.22

104

86

30

34.88

**Total JWW** 

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Wendy Pennington

JWW

**JWW Preferred** 

		01 1	0 1.0. 1	0/ 0   1/1   1/1   1/2
NJp	Entered	Showed	Qualified	% Qualified that Showed
16 Inch	1	1	0	0.00
20 Inch	3	1	0	0.00
	4	2	0	0.00
OJp	Entered	Showed	Qualified	% Qualified that Showed
16 Inch	1	1	0	0.00
20 Inch	1	1	0	0.00
	2	2	0	0.00
EJp	Entered	Showed	Qualified	% Qualified that Showed
20 Inch	2	2	0	0.00
	2	2	0	0.00
МЈр	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	1	100.00
8 Inch	1	1	0	0.00
12 Inch	2	2	1	50.00
16 Inch	4	4	1	25.00
20 Inch	6	4	2	50.00
	14	12	5	41.67
Total IM/M Professed	22	40	E	27.70
Total JWW Preferred	22	18	5	27.78
Total JWW	126	104	35	33.65

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Wendy Pennington

FAST

**FAST** 

EF		Entered	Showed	Qualified	% Qualified that Showed
12 Inch		2	2	2	100.00
16 Inch		1	1	0	0.00
20 Inch		4	4	1	25.00
		7	7	3	42.86
MF		Entered	Showed	Qualified	% Qualified that Showed
16 Inch		4	4	2	50.00
20 Inch		10	7	6	85.71
24 Inch		4	4	3	75.00
		18	15	11	73.33
	Total FAST	25	22	14	63.64

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Wendy Pennington

# **FAST**

### **FAST Preferred**

EFp	Entered	Showed	Qualified	% Qualified that Showed
20 Inch	2	1	0	0.00
	2	1	0	0.00
MFp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	1	100.00
16 Inch	1	1	0	0.00
20 Inch	1	1	1	100.00
	3	3	2	66.67
Total FAST Preferred	5	4	2	50.00
Total FAST	30 156	26 130	16 51	61.54
Judge Totals	136	130	31	

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Terry LeClair

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Terry LeClair

### Standard Standard

NAC	Cotonod	Chausad	المانة ما	0/ Ovalified that Chaved
NAS 8 Inch	Entered	Showed 1	Qualified 0	% Qualified that Showed
	1			0.00
12 Inch	1	1	0	0.00
16 Inch	1	1	0	0.00
20 Inch	3 <b>6</b>	1 4	0 0	0.00
	0	4	U	0.00
NBS	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	2	1	1	100.00
16 Inch	2	2	1	50.00
20 Inch	3	2	1	50.00
	7	5	3	60.00
os	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	3	3	1	33.33
16 Inch	1	1	0	0.00
20 Inch	3	3	1	33.33
24 Inch	1	1	1	100.00
	•	_	_	
	8	8	3	37.50
ES	8 Entered	8 Showed	3 Qualified	<ul><li>37.50</li><li>% Qualified that Showed</li></ul>
ES 12 Inch				
	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	Entered 3	Showed 3	Qualified 1	% Qualified that Showed 33.33
12 Inch 16 Inch	Entered 3 4	Showed 3 4	Qualified 1 0	% Qualified that Showed 33.33 0.00
12 Inch 16 Inch 20 Inch	Entered 3 4 3	Showed 3 4 2	Qualified 1 0 0	% Qualified that Showed 33.33 0.00 0.00
12 Inch 16 Inch 20 Inch	Entered 3 4 3	Showed 3 4 2 1	Qualified 1 0 0	% Qualified that Showed 33.33 0.00 0.00 0.00
12 Inch 16 Inch 20 Inch 24 Inch	Entered 3 4 3 1	Showed  3 4 2 1	Qualified  1 0 0 0 1	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00
12 Inch 16 Inch 20 Inch 24 Inch	Entered 3 4 3 1 11 Entered	Showed  3 4 2 1 10 Showed	Qualified  1 0 0 0 1 Qualified	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00 % Qualified that Showed
12 Inch 16 Inch 20 Inch 24 Inch  MS 12 Inch	3 4 3 1 11 Entered 14	Showed  3  4  2  1  10  Showed  13	Qualified  1 0 0 0 1 Qualified 7	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00  % Qualified that Showed 53.85
12 Inch 16 Inch 20 Inch 24 Inch  MS 12 Inch 16 Inch	Entered	Showed  3 4 2 1 10 Showed 13 8	Qualified  1 0 0 0 1 Qualified 7 5	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00  % Qualified that Showed 53.85 62.50
12 Inch 16 Inch 20 Inch 24 Inch  MS 12 Inch 16 Inch 20 Inch	Entered	Showed  3 4 2 1 10 Showed 13 8 21	Qualified  1 0 0 0  1 Qualified 7 5 13	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00  % Qualified that Showed 53.85 62.50 61.90
12 Inch 16 Inch 20 Inch 24 Inch  MS 12 Inch 16 Inch 20 Inch	Entered  3 4 3 1 11 Entered 14 8 23 10	Showed  3 4 2 1 10 Showed 13 8 21 7	Qualified  1 0 0 0 1 Qualified 7 5 13 2	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00  % Qualified that Showed 53.85 62.50 61.90 28.57
12 Inch 16 Inch 20 Inch 24 Inch  MS 12 Inch 16 Inch 20 Inch 24 Inch	Entered 3 4 3 1 11 Entered 14 8 23 10 55	Showed  3 4 2 1 10 Showed 13 8 21 7 49	Qualified  1 0 0 0 1 Qualified 7 5 13 2 27	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00  % Qualified that Showed 53.85 62.50 61.90 28.57 55.10
12 Inch 16 Inch 20 Inch 24 Inch  MS 12 Inch 16 Inch 20 Inch 24 Inch	Entered	Showed  3 4 2 1 10 Showed 13 8 21 7 49 Showed	Qualified  1 0 0 0 1 Qualified 7 5 13 2 27 Qualified	% Qualified that Showed 33.33 0.00 0.00 0.00 10.00  % Qualified that Showed 53.85 62.50 61.90 28.57 55.10 % Qualified that Showed

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Terry LeClair

24 Inch	1	0	0	0.00
	16	13	2	15.38
Total Standard	103	89	36	40.45

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Terry LeClair

### Standard

### **Standard Preferred**

NSp	Entered	Showed	Qualified	% Qualified that Showed
16 Inch	2	0	0	0.00
20 Inch	2	0	0	0.00
	4	0	0	0.00
OSp	Entered	Showed	Qualified	% Qualified that Showed
20 Inch	3	1	0	0.00
	3	1	0	0.00
ESp	Entered	Showed	Qualified	% Qualified that Showed
20 Inch	1	1	0	0.00
	1	1	0	0.00
MSp	Entered	Showed	Qualified	% Qualified that Showed
4 Inch	1	1	1	100.00
8 Inch	1	1	1	100.00
12 Inch	2	1	0	0.00
16 Inch	4	4	1	25.00
20 Inch	4	2	2	100.00
	12	9	5	55.56
Total Standard Preferred	20	11	5	45.45
Total Standard	123	100	41	41.00

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Terry LeClair

FAST

**FAST** 

NAF	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	1	1	0	0.00
16 Inch	1	1	0	0.00
20 Inch	2	2	1	50.00
	4	4	1	25.00
NBF	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	1	1	1	100.00
16 Inch	1	1	1	100.00
20 Inch	2	2	2	100.00
	4	4	4	100.00
OF	<b>4</b> Entered	<b>4</b> Showed	<b>4</b> Qualified	100.00 % Qualified that Showed
OF 12 Inch				
_	Entered	Showed	Qualified	% Qualified that Showed
12 Inch	Entered 1	Showed	Qualified 1	% Qualified that Showed 100.00
12 Inch 16 Inch	Entered 1 2	Showed 1 2	Qualified 1 0	% Qualified that Showed 100.00 0.00
12 Inch 16 Inch 20 Inch	Entered 1 2 1	Showed  1  2  1	Qualified 1 0 1	% Qualified that Showed 100.00 0.00 100.00
12 Inch 16 Inch 20 Inch	Entered 1 2 1 1	Showed  1  2  1  1	Qualified  1  0  1	% Qualified that Showed 100.00 0.00 100.00 100.00

MBDTC Agility Trial - Sunday

Skypark Soccer Fields 1 & 2

6/19/2010

Judge: Terry LeClair

# **FAST**

### **FAST Preferred**

NFp	Entered	Showed	Qualifie	ed % Qua	lified that Showed
20 Inch	2	1	0	0.00	
	2	1	0	0.00	
Total FAST Preferred	2	1	0	0.00	
Total FAST	15	14	8	57.14	
Judge Totals	138	114	49		

MBDTC Agility Trial - Sunday Skypark Soccer Fields 1 & 2 6/19/2010

Event Totals 294

244

1 100

40.98